



COUNCIL SUBCOMMITTEE ON WATER ISSUES MEETING

REGULAR SUBCOMMITTEE MEETING AGENDA

TUESDAY, JULY 5, 2022, 9:30 AM

201 S Cortez Street
Prescott, AZ 86303
Council Chambers

Mayor Pro Tem Rusing - Chairperson

Councilman Montoya - Member

Councilman Sischka - Member

The following Agenda will be considered by the Prescott Council Subcommittee on Water Issues at Regular Subcommittee Meeting pursuant to the Prescott City Charter, Article II, Section 13. Notice of the meeting is given pursuant to Arizona Revised Statutes, Section 38-431.02. One or more members of the Council may be attending the meeting through the use of a technological device.

Viewing & Participation

This meeting may be viewed on Channel 64, Facebook Live or on the City's Website: [Live City of Prescott Videos](#)

Or via Zoom by registering in advance: [Zoom Registration Link](#)

Comments from the public may be submitted through the City website: [Public Comment Form](#)

1. CALL TO ORDER

2. ROLL CALL

3. PUBLIC COMMENT

Public comment will be accepted following each agenda item and are limited to three (3) minutes. Please complete a comment card and return it to the City Clerk, speakers will be called in the order received.

4. DISCUSSION & ACTION ITEMS

A. Approval of the June 7, 2022 Meeting Minutes.

Recommended Action: MOVE to approve the June 7, 2022 minutes as presented

B. Water Service Application No. WSA21-025, Submitted by Stroh Architecture Inc., on Behalf

of Property Owner Cortez Circle Properties, LLC. Location: APNs 109-15-015B and 109-15-015C; 6.82 Total Acres; Located in Township 13 North, Range 2 West, Section 4, SE¼.

Recommended Action: MOVE to recommend forwarding WSA21-025 to Council for approval or denial

- C. Presentation and Discussion Regarding the 2022 Consumer Confidence Report (For Calendar Year 2021) - Annual Water Quality Data.

Recommended Action: This item is for discussion only. No formal action will be taken.

5. GENERAL ANNOUNCEMENTS FROM STAFF

6. ADJOURNMENT

EXECUTIVE SESSION

Upon a public majority vote of a quorum of the City Council, the Council may hold an executive session, which will not be open to the public, regarding any item listed on the agenda but only for the following purposes:

- (1) Discussion or consideration of personnel matters (A.R.S. §38-431.03(A)(1));
- (2) Discussion or consideration of records exempt by law (A.R.S. §38-431.03(A)(2));
- (3) Discussion or consultation for legal advice with the city's attorneys (A.R.S. §38-431.03(A)(3));
- (4) Discussion or consultation with the city's attorneys regarding the city's position regarding contracts that are the subject of negotiations, in pending or contemplated litigation, or in settlement discussions conducted in order to avoid litigation (A.R.S. § 38-431.03(A)(4));
- (5) Discussion or consultation with designated representatives of the city to consider its position and instruct its representatives regarding negotiations with employee organizations (A.R.S. §38-431.03(A)(5));
- (6) Discussion, consultation or consideration for negotiations by the city or its designated representatives with members of a tribal council, or its designated representatives, of an Indian reservation located within or adjacent to the city (A.R.S. §38-431.03(A)(6));
- (7) Discussion or consultation with designated representatives of the city to consider its position and instruct its representatives regarding negotiations for the purchase, sale or lease of real property (A.R.S. §38-431.03(A)(7)).

THE CITY OF PRESCOTT ENDEAVORS TO MAKE ALL PUBLIC MEETINGS ACCESSIBLE TO PERSONS WITH DISABILITIES. With 72 hours advanced notice, special assistance can be provided for sight and/or hearing-impaired persons at this meeting. Reasonable accommodations will be made upon request for persons with disabilities or non-English speaking residents. Please call the City Clerk (928) 777-1272 to request an accommodation to participate in this public meeting. Prescott TDD number is (928) 445-6811. Additionally, free public relay service is available from Arizona Relay Service at 1-800-367-8939 and more information at www.azrelay.org

Confidentiality

Arizona statute precludes any person receiving executive session information from disclosing that information except as allowed by law. A.R.S. §38-431.03(F). Each violation of this statute is subject to a civil penalty not to exceed \$500, plus court costs and attorneys' fees. This penalty is assessed against the person who violates this statute or who knowingly aids, agrees to aid or attempts to aid another person in violating this article. The city is precluded from expending any public monies to employ or retain legal counsel to provide legal services or representation to the public body or any of its officers in any legal action commenced for violation of the statute unless City Council takes a legal action at a properly noticed open meeting to approve of such expenditures prior to incurring any such obligation or indebtedness. A.R.S. §38-431.07(A)(B).

CERTIFICATION OF POSTING OF NOTICE

The undersigned hereby certifies that a copy of the foregoing notice was duly posted at Prescott City Hall on _____ at _____ m. in accordance with the statement filed by the Prescott City Council with the City Clerk



Sarah M. Siep, City Clerk

**COUNCIL AGENDA MEMO**

MEETING TYPE/DATE: **REGULAR SUBCOMMITTEE MEETING** **07- 5-22**

DEPARTMENT: **City Clerk**

AGENDA ITEM: Approval of the June 7, 2022 Meeting Minutes.

ITEM SUMMARY

Attached for approval are the Council Subcommittee on Water Issues minutes for the June 7, 2022 meeting.

BACKGROUND

None

FINANCIAL IMPACT

None

Recommended Action: MOVE to approve the June 7, 2022 minutes as presented

ATTACHMENTS

1. [June 7, 2022 Water Issues Subcommittee Minutes.docx](#)



COUNCIL SUBCOMMITTEE ON WATER ISSUES MEETING

REGULAR SUBCOMMITTEE MEETING MINUTES

TUESDAY, JUNE 7, 2022, 9:30 a.m.

201 S Cortez Street
Prescott, AZ 86303
Council Chambers

Cathey Rusing, Mayor Pro Tem - Chairperson

Brandon Montoya, Councilman – Member Steve Sischka, Councilman - Member

MINUTES OF THE REGULAR SUBCOMMITTEE MEETING OF THE PRESCOTT COUNCIL SUBCOMMITTEE ON WATER ISSUES HELD ON JUNE 7, 2022 IN THE 201 S CORTEZ STREET PRESCOTT, AZ 86303 COUNCIL CHAMBERS.

1. CALL TO ORDER

Member Montoya called the meeting to order at 9:30 a.m.

2. ROLL CALL

Cathey Rusing	Chairperson – attended via Zoom
Brandon Montoya	Member
Steve Sischka	Member

3. PUBLIC COMMENT

Public comment will be accepted following each agenda item and are limited to three (3) minutes. Please complete a comment card and return it to the City Clerk, speakers will be called in the order received.

4. DISCUSSION & ACTION ITEMS

A. Approval of the April 5, 2022, Subcommittee on Water Issues Meeting Minutes

MOTION BY MEMBER SISCHKA TO APPROVE THE APRIL 5, 2022 MEETING MINUTES; SECONDED BY MEMBER MONTOYA: PASSED [3 – 0].

B. Recommendation for Approval of a Revision to Prescott City Code 3-10-8: Water Conservation Code, Incentive Program to Add an Additional Rebate Tier for a Hot Water Recirculation System.

Water Resource Project Manager Kay Sydow provided a presentation to the Subcommittee regarding consideration of revision of Prescott City Code 3-10-8. The proposed revision will add a hot water recirculation system to the current rebate program. The program could save as much as 10,000 gallons of water per year, per installation, based on an average family unit of four. This program was in effect in 2006 but was removed in 2010 due to lack of participation. Ms. Sydow conferred with Elissa Klein, the Water Conservation Program Supervisor in Scottsdale, AZ who stated that Scottsdale discontinued their hot water recirculation system rebate program because water savings for this rebate were not statistically significant. Ms. Sydow added that further research indicates that there are no other Arizona cities or communities that have hot water recirculating systems in their rebate program.

Member of the public and Executive Director of the Yavapai County Contractors Association (YCCA), Sandy Griffis, addressed the Subcommittee via email, stating that the expense of adding a hot water recirculating system to an existing home is great and that the city would do better to increase the rebates for toilets, irrigation systems, dishwashers, high efficiency washing machines, rainwater harvesting installation units, and the replacement of concrete for permeable pavers.

Member Sischka asked if there is a rebate program for replacing concrete with permeable pavers.

Ms. Sydow responded there is not.

Public Works Director Ashley Couch addressed the Subcommittee stating that decomposed granite and low water use plants are typically used in place of turf, however there is such a thing as permeable concrete that can be used in place of concrete.

Ms. Sydow presented the pros and cons of the hot water recirculating system adding that if Council approves the item, a \$150 rebate is suitable.

Pros

- Can save 1-3 minutes waiting for hot water at a faucet
- Can save 10,000 gallons of water per year
 - On average, 1-3 gallons of water is wasted waiting for hot water
- Can save money over the long term

Cons

- Initial cost can be high
- Water can be lukewarm water to start
- Changing the sensor valve may be required every two years
 - Is an additional cost
 - May have to replace the entire pump if sensor valve is housed in it
- Needs an electrical outlet
 - May be an additional cost to hire an electrician
 - The outlet needs to be within 30 inches of the pump

- o An extension cord is not recommended
- Damage to the unit after a water outage is probable
 - o Can result in claims for damage against the City of Prescott

Mr. Couch stated that in Scottsdale, where he previously worked, the program was discontinued primarily because of water outage damage to the units and the resulting significant cost to the city.

Chair Rusing commented that during a water outage, the pump must be turned off. Suggested the public be made aware and agree to hold the city harmless. Feels this rebate is worthwhile if it can save water and should be considered.

Member Sischka asked how much the rebate will be and stated that he finds it hard to believe that 10,000 gallons of water can be saved using a hot water recirculation system.

Ms. Sydow replied that staff is suggesting a \$150 rebate.

Member Montoya asked Mr. Couch how much of a rebate Scottsdale was offering, adding that he would like to see some data showing that the \$150 rebate is incentive enough given the total cost to install could reach \$900. Suggested reaching out to YCCA and the Citizens Water Advocacy Group (CWAG) for assistance on gathering supporting data. Asked how much money is available in the rebate program.

Ms. Sydow responded that \$40,000 is budgeted each fiscal year but staff will exceed that amount if necessary, adding that they have not exceeded the budgeted amount this fiscal year.

Member Sischka commented that since more people use dishwashers, incentivizing water efficient dishwashers seems to be a more useful than forcing people to spend extra money on a hot water recirculation system.

Member of the public, Howard Mechanic addressed the Subcommittee stating that he would be willing to help with the requested supporting data. He asked what the savings per gallon would be for homeowners and how much water will the city save based on money invested. Also, he noted that the electricity usage required to run these units is as much as running two refrigerators, and that this extra electricity usage will result in carbon pollution.

Member of the public, Leslie Hoy addressed the Subcommittee stating that she installed a recirculating hot water pump years ago and noticed a difference in their water use immediately. She stated that there isn't any harm from offering the rebate and increasing people's awareness of hot water recirculating systems. Also, she added that she feels it is a good idea to review all possible rebates and to increase the rebate budget since that has not been done under the new administration.

Deputy Public Works Director Gwen Rowitsch addressed the Subcommittee stating that to date, just over \$29,000 has been rebated.

Member Montoya asked what item the city gives rebates on most frequently.

Ms. Rowitsch responded that the most popular rebates in terms of quantity are toilets and washing machines. In terms of reduction of water usage, the most cost-effective rebate is turf. A summary of the annual rebates for FY2022 will be provided in July.

Member Sischka commented that he agrees with Member Montoya's suggestion to confer with the YCCA and others who are interested in bettering the rebate program and increasing the budgeted amount for rebates.

Chair Rusing suggested a Study Session on the rebate program to raise awareness and investigate improvements, adding that the recirculating pumps would not be mandated, only suggested.

MOTION BY MEMBER MONTOYA TO FORWARD ITEM 4.B. TO COUNCIL FOR APPROVAL; SECONDED BY CHAIRPERSON RUSING: PASSED [3 – 0].

C. Focus Topic: Water Resource Management Model.

Water Resource Project Manager Leslie Graser provided a presentation to the Subcommittee regarding the Water Resources Management Model (WRMM). Ms. Graser reviewed the WRMM and its intended uses, how data is used in the model and how a “what-if” scenario is used for projection planning.

Member Sischka asked if the WRMM looks at actual use and what the .17 depicted in the presentation reflects.

Ms. Graser responded that it does, and the 0.17 depicts all single-family accounts. She continued with a presentation of an overlay of the three municipalities in the General Plan area: Prescott, Prescott Valley and Chino Valley, and the city's water service area. Ms. Graser noted that it is important to realize that there are three versions of the WRMM, the General Plan Boundary, Water Service Area, and the customized version prepared for the Decision and Order (D&O).

Member Montoya asked if the WRMM is collecting data from Prescott Valley and Chino Valley water usage.

Ms. Graser responded that the city entered into a mutual aid agreement with Chino Valley, so they are receiving assistance entering their information into the WRMM and in the future that information will be entered into the WRMM data sets.

This item was for discussion only, no formal action was taken.

5. GENERAL ANNOUNCEMENTS FROM STAFF

Ms. Graser provided the general announcements to the Subcommittee:

NAMWUA Board Meeting held on April 15, 2022

- Action Item – Election of a Board Chair, Roger Kinsinger (Prescott Valley Councilman) former Councilman Blair stepped down. Also new board leadership positions.
- Non-Action Item - Direct Potable Reuse Presentation by Erin Young (City of Flagstaff Water Resource Manager and AZ Water Reuse VP)
- Informational Items
 - Governor's Water Group (GWAICC) met November 30, 2021; next meeting scheduled in June
 - Arizona Water Authority Legislation – now the Arizona Augmentation Authority, no legislation has been introduced yet, may be handled in a Special Session
 - Arizona Water Awareness Month
 - Financial Reports – current total assets are \$21,511.23
- Next Meeting is July 15, 2022, 10 a.m. in Flagstaff

Coalition Board meeting held on April 27, 2022

- Councilman Montoya has been appointed to the Board as the Vice Chair
- TAC Membership had a member retire, Ms. Graser will assist with Chair responsibilities
- Grant topics discussed
 - Rainwater Harvesting – first deliverable due June 30th
 - USDA NRCS Grant Agreement – 2.7 million grant with an add-on of 3 million
 - Other Grant Project updates – dues from Yavapai County will be \$40,000

ADWR Fifth Management Plan

- Hearing and Public comments – May 31, 2022
- Findings and Adoption – TBD, but within 30 days of hearing
- Notice of Conservation Requirements – TBD
- Plan is effective January 1, 2025 and remains in effect until state legislation determines otherwise.

Highland Center for Natural History – Water Awareness Festival

- Date was changed to Saturday, June 25th due to the Crooks Fire
- Will be held 9 a.m. to noon
- Event is free to the public however they request you register in advance
- Event is sponsored by City of Prescott WaterSmart

Ms. Rowitsch detailed the new water management policy location on the city's website and briefly discussed how to access the policy and the approved projects from the webpage.

This item was for discussion only, no formal action was taken.

6. ADJOURNMENT

There being no further business to discuss, Member Montoya adjourned the meeting at 10:38 a.m.

Cathey Rusing, Chairperson

ATTEST:

Jennifer Wiita, Deputy City Clerk

CERTIFICATION

I hereby certify that the foregoing minutes are a true and correct copy of the minutes of the Regular Subcommittee Meeting of the Council Subcommittee on Water Issues of the City of Prescott, Arizona held on June 7, 2022. I further certify the meeting was duly called and held and that a quorum was present.

Dated this _____ day of _____, 2022.

AFFIX
CITY
SEAL

Jennifer Wiita, Deputy City Clerk



COUNCIL AGENDA MEMO

MEETING TYPE/DATE: **REGULAR SUBCOMMITTEE MEETING** **07- 5-22**

DEPARTMENT: **Public Works**

AGENDA ITEM: Water Service Application No. WSA21-025, Submitted by Stroh Architecture Inc., on Behalf of Property Owner Cortez Circle Properties, LLC. Location: APNs 109-15-015B and 109-15-015C; 6.82 Total Acres; Located in Township 13 North, Range 2 West, Section 4, SE¼.

ITEM SUMMARY

Water Service Application No. WSA21-025 was filed on December 22, 2021. The applicant seeks potable water supplies for 120 multi-family apartment units.

BACKGROUND

The Cortez Circle Apartment project is an in-fill project located at the southern extent of Cortez Circle, inside the City limits. See attached Location Map.

A water demand analysis was submitted by Stroh Architecture on January 17, 2022, and slightly revised on June 13, 2022. Per the 2022 Water Policy, a factor of 0.12 acre-feet per year is used for each apartment unit.

There are 38 existing dwelling units being served potable water at this location. With a factor of 0.12 AFA per dwelling unit, the total demand for the existing dwelling units is 4.56 acre-feet per year.

An Agreement for Potable Water, Cortez Circle, LLC (WSA 17-029), City Contract No. 2018-132, dated May 15, 2018, allows for twenty-eight (28) additional dwelling units on APN 109-15-015B. Water demand for these 28 dwelling units was calculated at 0.12 acre-feet per unit, for a total of 3.36 acre-feet per year. However, this agreement provides for a maximum density of sixty-two (62) dwelling units on the property or the agreement will terminate.

The current project consists of a total of 120 dwelling units. With the 38 existing units and the termination of WSA17-029, the applicant is seeking water supplies for the remaining 82 dwelling units.

Water demand for these 82 dwelling units was calculated at 0.12 acre-feet per unit, for a total of 9.84 acre-feet per year. In addition to the dwelling units, the Clubhouse is 3,191 square feet, the pool dimensions are 480 square feet, and the spa is 25 square feet, for a combined estimated total water demand of 0.17 acre-feet per year.

The requested amount of water for the additional 82 units and the clubhouse, pool, and spa is **10.01 acre-feet per year**, with a total demand for the entire project area of 14.57 acre-feet per year.

Landscaping for the project area is already in place and does not need additional water.

The 2022 Water Management Policy, effective April 26, 2022, provides a water budget of 25 acre-feet per year for residential projects, from January to June 2022, with no single project using more than 50% of the remaining budget.

The applicant has completed the following:

Pre-Application Conference: February 3, 2022

Submit WSA Application: December 22, 2021

Application complete: June 13, 2022

Present the project to Water Issues Subcommittee: July 5, 2022

If approved, submit the project to City Council: July 26, 2022


FINANCIAL IMPACT

N/A

Recommended Action: MOVE to recommend forwarding WSA21-025 to Council for approval or denial

ATTACHMENTS

1. [Location Map.pdf](#)
2. [Site Plan 6-10-22.pdf](#)
3. [Color Site Plan 6-8-22.pdf](#)



Cortez Circle Properties, LLC
601 South Cortez Street

This map is a product of
The City of Prescott





0' 1" = 152'



REVISION
 04-29-2022 RND 2
 CITY COMMENTS

SHEET
ARCHITECTURAL
SITE PLAN
SD1.0
DRAWN BY: CDK/R
CHECKED BY: DD
DATE: MAY 202
JOB NO.: 2102







CORTEZ CIRCLE APARTMENTS

PRESCOTT, ARIZONA

JUNE 8, 2022



Stroh Architecture, Inc.



**COUNCIL AGENDA MEMO**

MEETING TYPE/DATE: **REGULAR SUBCOMMITTEE MEETING** **07- 5-22**

DEPARTMENT: **Public Works**

AGENDA ITEM: Presentation and Discussion Regarding the 2022 Consumer Confidence Report (For Calendar Year 2021) - Annual Water Quality Data.

ITEM SUMMARY

2022 Consumer Confidence Report (For Calendar Year 2021) - Annual Water Quality Data overview and discussion.

BACKGROUND

The 2022 Consumer Confidence Report identifies the sources of Prescott's drinking water, provides water quality information, and summarizes analytical tests of the City's drinking water supply for Calendar Year 2021.

FINANCIAL IMPACT

N/A

Recommended Action: This item is for discussion only. No formal action will be taken.

ATTACHMENTS

1. [Consumer Confidence Report.pdf](#)



Water Operations Presents

Understanding the
Consumer Confidence Report

Prescott

WATER QUALITY REPORT

Reporting Year 2021



PWS ID# AZ0413045

What is a CCR?

Consumer Confidence Report (CCR)

- Required Annually by EPA and ADEQ
- Local Water Quality Data

What does the report address?

- Prescott's sources and quality of the drinking water
- Provides information on water quality testing results
- Regular sampling ensures that City drinking water stays in compliance with all local, state, and federal regulations

Who is ADEQ?

- Arizona Department of Environmental Quality
- ADEQ is responsible for protecting Arizona's land, water, and air from pollution



Prescott Water Supplies

- Chino Valley Well #1
- Chino Valley Well #2
- Chino Valley Well #3
- Chino Valley Well #4
- Chino Valley Well #5
- Airport Well #2
- Airport Well #3
- Airport Well #5



Average daily demand pumped in 2021
6.52 Million Gallons per Day

Maps of Well Fields



The City of Prescott monitors & samples for over 100 substances

- Each contaminant is sampled periodically per ADEQ requirements
- 53 Total Coliform tests per month
- Lead and Copper (Annually)
- Arsenic (Quarterly)

Parameter	Violation Y or N	AL	Number of Samples Over the AL	90th Percentile	Unit	Date
Lead & Copper						
Lead Results - Homes	N	15	0	<5.0	ppb	2019
Copper Results - Homes	N	1.3	0	0.062	ppm	2019
Regulated Substances - Measured from Water Leaving the Treatment Facilities						
Parameter	MCL	MCLG	Highest Level	Range	Unit	Date
RadioChemical Monitoring			Highest Detected Level	Range		
Gross Alpha	15	<15	9.7	1.8 - 9.7	pCi/L	2021
Combined Uranium 234, 235, 238	30	<30	14.9	9 - 14.9	ug/L	2019
Inorganic Compounds			Highest Detected Level	Range		
Arsenic	10	<10	8.1	1.2 - 8.1	ppb	2021
Barium	2	<1	0.039	<0.010 - 0.039	ppm	2021
Chromium	100	<15	13	<5 - 13	ppb	2021
Fluoride	4	<2	1.12	0.29 - 1.12	ppm	2021
Nitrate (as N)	10	<5	2.09	0.72 - 2.09	ppm	2021
Sodium	No MCL	N/A	40	15 - 40	ppm	2021
Volatile Organic Compounds			Highest Detected Level	Range		
Trichloroethylene	5	<0.5	0.6	<0.5 - 0.6	ppb	2021
Disinfection Byproduct Monitoring			Highest Detected Level	Range		
Total Trihalomethane (TTHM)	80	0	11.1	4.4 - 11.1	ppb	2021
Bromodichloromethane	N/A	<0.0005	0.0018	0.0007 - 0.0018	ppm	2021
Bromoform	N/A	<0.0005	0.0042	0.0018 - 0.0042	ppm	2021
Chloroform	N/A	<0.0005	0.0008	<0.0005 - 0.0008	ppm	2021
Dibromochloromethane	N/A	<0.0005	0.0042	0.0019 - 0.0042	ppm	2021
Maximum Residual Disinfection Level (MRDL)			Highest Detected Level	Range	Unit	Date
Chlorine	4.0	<4.0	2.13	0.42 - 2.13	ppm	2021
Biological Monitoring			Entire Distribution System		Likely Source in Drinking Water	Unit Date
Total Coliform - Tested monthly	0	Highest monthly number of positive Coliform samples: 0 in 53		Naturally present in the environment		Absent or Present 2021
Unregulated Sampling Results: Water Samples Collected from Source Water						
Parameter	PCL	Highest Level		Range	Unit	Date
UCMRA - Anions						
Bromide	0.020	0.113		0.0761 - 0.113	mg/L	2020
Water Samples Collected from Distribution System						
UCMRA - HAAs						
Bromochloroacetic acid	0.300	0.345		<0.300 - 0.345	ug/L	2020
Dibromoacetic acid	0.300	0.629		0.503 - 0.629	ug/L	2020

The Water Treatment Process

Chlorine



Well Blending



Absorptive Media



Arsenic Treatment

- Accomplished by blending or absorptive media (Granular Ferric hydroxide)
- Maximum Contaminant Level (MCL) = 10 Parts per billion (PPB)
- Results reported Quarterly to ADEQ
- Posted at the following webpage [Quarterly Arsenic Results](#)

Quarter	Level
2022 Q2	7.9 ppb
2022 Q1	7.0 ppb
2021 Q4	7.7 ppb
2021 Q3	8.0 ppb

*MCL is 10.0 ppb

Frequently Asked Questions & Answers

What do I set my water softener to?


Grains/Gal	mg/L & ppm	Classification
Less than 1	Less than 17.1	Soft
1 - 3.5	17.1 - 60	Slightly Hard
3.5 - 7	60 - 120	Moderately Hard
7 - 10	120 - 180	Hard
over 10	over 180	Very Hard

Why is my water pressure so low?



How can I turn off the water to my house?

City Water Meter & Customer Shut-Off



Prescott
WATER QUALITY REPORT
Reporting Year 2021

CITY OF PRESCOTT ARIZONA



PWS ID# A20-413985



Now Available ONLINE: www.prescott-az.gov/link/ccr-ry2021.pdf

Limited Copies of the Report are Available at the Following Locations:

■ Prescott City Library 215 E. Goodwin St.	■ Prescott City Hall 201 S. Cortez St.	■ City of Prescott Public Works 433 N. Virginia St.
---	---	---

————— To Learn More About Your Drinking Water: —————

Contact Us: City of Prescott - Water Operations
Phone: (928) 777-1118 Email: water.operations@prescott-az.gov
Hours of Operation: 7:00 a.m. to 3:30 p.m. Monday - Friday

- Prescott Water Quality Report